



LEGADO  
DAS ÁGUAS  
RESERVA VOTORANTIM

ENTOMOFAUNA - Borboletas		
FAMÍLIA	NOME CIENTÍFICO	NOME POPULAR
Hesperiidae	<i>Aethilla echina</i> Hewitson, 1870	*
Hesperiidae	<i>Aguna asander asander</i> (Hewitson, 1867)	*
Hesperiidae	<i>Anastrus</i> sp. Hübner, [1824]	*
Hesperiidae	<i>Anastrus neaearis narva</i> (Möschler, 1879)	*
Hesperiidae	<i>Anastrus obscurus</i> Hübner, [1824]	*
Hesperiidae	<i>Anastrus tolimus robigus</i> (Plötz, 1884)	*
Hesperiidae	<i>Anastrus ulpianus</i> (Poey, 1832)	*
Hesperiidae	<i>Anthoptus epictetus</i> (Fabricius, 1793)	*
Hesperiidae	<i>Astrartes creteus siges</i> (Mabille, 1903)	*
Hesperiidae	<i>Astrartes fulgerator fulgerator</i> (Walch, 1775)	*
Hesperiidae	<i>Autochton zarex</i> (Hübner, 1818)	*
Hesperiidae	<i>Camptopleura janthinus</i> (Capronnier, 1874)	*
Hesperiidae	<i>Carrhenes canescens</i> (R. Felder, 1869)	*
Hesperiidae	<i>Carystoides basoches</i> (Latreille, [1824])	*
Hesperiidae	<i>Carystoides sicania sicania</i> (Hewitson, 1876)	*
Hesperiidae	<i>Celaenorrhinus eligius punctiger</i> (Burmeister, 1878)	*
Hesperiidae	<i>Cephise</i> sp. Evans, 1952	*
Hesperiidae	<i>Cobalopsis nero</i> (Herrich-Schäffer, 1869)	*
Hesperiidae	<i>Cogia calchas</i> (Herrich-Schäffer, 1869)	*
Hesperiidae	<i>Colabus</i> sp. Hübner, [1819]	*
Hesperiidae	<i>Corticea Corticea</i> (Plötz, 1883)	*
Hesperiidae	<i>Cycloglypha t. thrasibulus</i> (Fabricius, 1793)	*
Hesperiidae	<i>Cymaenes uruba uruba</i> (Plötz, 1886)	*
Hesperiidae	<i>Cynea corope</i> (Herrich-Schäffer, 1869)	*
Hesperiidae	<i>Damas clavus</i> (Herrich-Schäffer, 1869)	*



LEGADO  
DAS ÁGUAS  
RESERVA VOTORANTIM

Hesperiidae	<i>Ebrietas infanda</i> (Butler, 1877)	*
Hesperiidae	<i>Epargyreus</i> sp Hübner, [1819]	*
Hesperiidae	<i>Eutychide Olympia</i> (Plötz, 1882)	*
Hesperiidae	<i>Gorgythion begga begga</i> (Prittwitz, 1868)	*
Hesperiidae	<i>Helias phalaenoides palpalis</i> (Latreille, [1824])	*
Hesperiidae	<i>Heliopetes alana</i> (Reakirt, 1868)	*
Hesperiidae	<i>Heliopetes ochroleuca</i> J. Zikán, 1938	*
Hesperiidae	<i>Lamponia lamponia</i> (Hewitson, 1876)	*
Hesperiidae	<i>Levina levina</i> (Plötz, 1884)	*
Hesperiidae	<i>Lycas godart godart</i> (Latreille, [1824])	*
Hesperiidae	<i>Lychnuchus celsus</i> (Fabricius, 1793)	*
Hesperiidae	<i>Metron chrysogastra hypodesma</i> (Plötz, 1882)	*
Hesperiidae	<i>Miltomiges cinnamomea</i> (Herrich-Schäffer, 1869)	*
Hesperiidae	<i>Mylon maimon</i> (Fabricius, 1775)	*
Hesperiidae	<i>Onophas columbaria distigma</i> Bell, 1930	*
Hesperiidae	<i>Oxyntes corusca</i> (Herrich-Schäffer, 1869)	*
Hesperiidae	<i>Paracarystus hypargyra</i> (Herrich-Schäffer, 1869)	*
Hesperiidae	<i>Parphorus fartuga</i> (Schaus, 1902)	*
Hesperiidae	<i>Pellicia costimacula</i> Herrich-Schäffer, 1870	*
Hesperiidae	<i>Phanes almoda</i> (Hewitson, [1866])	*
Hesperiidae	<i>Phanus ecitonorum</i> Austin, 1993	*
Hesperiidae	<i>Polygonus savigny savigny</i> (Latreille, [1824])	*
Hesperiidae	<i>Polythrix caunus</i> (Herrich-Schäffer, 1869)	*
Hesperiidae	<i>Polythrix octomaculata</i> (Sepp, [1844])	*
Hesperiidae	<i>Pyrgus oileus orcus</i> (Linnaeus, 1767)	*
Hesperiidae	<i>Pythonides lancea</i> (Hewitson, 1868)	*
Hesperiidae	<i>Quadrus u-lucida mimus</i> (Mabille & Boulet, 1917)	*
Hesperiidae	<i>Saliana antoninus</i> (Latreille, [1824])	*
Hesperiidae	SI	*



LEGADO  
DAS ÁGUAS  
RESERVA VOTORANTIM

Hesperiidae	<i>Sodalia argyrosbila</i> (Mabille, 1877)	*
Hesperiidae	<i>Sostrata bifasciata bifasciata</i> (Ménétriés, 1829)	*
Hesperiidae	<i>Sostrata cronion</i> (C & R. Felder, 1867)	*
Hesperiidae	<i>sp. nova</i>	*
Hesperiidae	<i>Staphylus fasciatus</i> Hayward, 1933	*
Hesperiidae	<i>Synapte silius</i> (Latreille, [1824])	*
Hesperiidae	<i>Urbanus dorantes dorantes</i> (Stoll, [1790])	*
Hesperiidae	<i>Urbanus doryssus</i> (Swainson, 1831)	*
Hesperiidae	<i>Urbanus proteus proteus</i> (Linnaeus, 1758)	*
Hesperiidae	<i>Urbanus simplicius</i> (Stoll, [1790])	*
Hesperiidae	<i>Urbanus teleus</i> (Hübner, 1821)	*
Hesperiidae	<i>Vehilius clavicula</i> (Plötz, 1884)	*
Hesperiidae	<i>Vehilius stictomenes stictomenes</i> (Butler, 1877)	*
Hesperiidae	<i>Vettius lucretius</i> (Latreille, [1824])	*
Hesperiidae	<i>Vettius marcus marcus</i> (Fabricius, 1787)	*
Hesperiidae	<i>Vettius umbrata</i> (Erschoff, 1876)	*
Hesperiidae	<i>Vidius similis</i> Mielke, 1980	*
Hesperiidae	<i>Vinius letis</i> (Plötz, 1883)	*
Hesperiidae	<i>Xeniades orchamus orchamus</i> (Cramer, [1777])	*
Hesperiidae	<i>Zariaspes mys</i> (Hübner, [1808])	*
Papilionidae	<i>Mimoides protodamas</i> (Godart, 1819)	*
Papilionidae	<i>Papilio anchisiades capys</i> (Hübner, [1809])	*
Papilionidae	<i>Papilio thoas brasiliensis</i> Rothschild & Jordan, 1906	*
Papilionidae	<i>Parides anchises nephalion</i> (Godart, 1819)	*
Papilionidae	<i>Protesilaus g. leucas</i> (Rothschild & Jordan, 1906)	*
Papilionidae	<i>Protesilaus sp.</i> Swainson, 1832	*
Papilionidae	<i>Protesilaus telesilaus vitellus</i> Fruhstorfer, 1907	*
Pieridae	<i>Aphrissa statira statira</i> (Cramer, [1777])	*
Pieridae	<i>Archonias brassolis tereas</i> (Godart,	*



LEGADO  
DAS ÁGUAS  
RESERVA VOTORANTIM

	1819)	
Pieridae	<i>Dismorphia amphione astynome</i> (Dalman, 1823)	*
Pieridae	<i>Dismorphia thermesia</i> (Godart, 1819)	*
Pieridae	<i>Enantia limnorina</i> (C. & R. Felder, 1865)	*
Pieridae	<i>Enantia lina psamathe</i> (Fabricius, 1793)	*
Pieridae	<i>Eurema albula sinoe</i> (Godart, 1819)	*
Pieridae	<i>Eurema elathea flavescens</i> (Chavannes, 1850)	*
Pieridae	<i>Eurema leuce leuce</i> (Boisduval, 1836)	*
Pieridae	<i>Eurema sp Hübner, [1819]</i>	*
Pieridae	<i>Hesperocharis paranensis</i> Schaus, 1898	*
Pieridae	<i>Leptophobia aripa balidia</i> (Boisduval, 1836)	*
Pieridae	<i>Leucidia brephos</i> (Hübner, [1809])	*
Pieridae	<i>Leucidia elvina</i> (Godart, 1819)	*
Pieridae	<i>Melete aelia paulista</i> Fruhstorfer, 1908	*
Pieridae	<i>Phoebis argante argante</i> (Fabricius, 1775)	*
Pieridae	<i>Phoebis philea philea</i> (Linnaeus, 1763)	*
Pieridae	<i>Phoebis sennae marcellina</i> (Cramer, [1779])	*
Pieridae	<i>Pyrisitia nise tenella</i> (Boisduval, 1836)	*
Pieridae	<i>Rhabdodryas trite banski</i> (Breyer, 1939)	*
Lycaenidae	<i>Arawacus meliboeus</i> (Fabricius, 1793)	*
Lycaenidae	<i>Calycopis bellera</i> (Hewitson, 1877)	*
Lycaenidae	<i>Calycopis sp1</i> Scudder, 1876	*
Lycaenidae	<i>Calycopis sp2</i> Scudder, 1876	*
Lycaenidae	<i>Calycopis sp3</i> Scudder, 1876	*
Lycaenidae	<i>Calycopis sp4</i> Scudder, 1876	*
Lycaenidae	<i>Calycopis sp5</i> Scudder, 1876	*
Lycaenidae	<i>Calycopis sp6</i> Scudder, 1876	*
Lycaenidae	<i>Calycopis sp7</i> Scudder, 1876	*
Lycaenidae	<i>Calycopis sp8</i> Scudder, 1876	*



LEGADO  
DAS ÁGUAS  
RESERVA VOTORANTIM

Lycaenidae	<i>Calycopis sp9</i> Scudder, 1876	*
Lycaenidae	<i>Celmia celmus</i> (Cramer, [1775])	*
Lycaenidae	<i>Chalybs chloris</i> (Hewitson, 1877)	*
Lycaenidae	<i>Contrafacia imma</i> (Prittwitz, 1865)	*
Lycaenidae	<i>Contrafacia muattina</i> (Schaus, 1902)	*
Lycaenidae	<i>Cyanophrys sp</i> Clench, 1961	*
Lycaenidae	<i>Elkalyce cogina</i> (Schaus, 1902)	*
Lycaenidae	<i>Evenus batesii</i> (Hewitson, 1865)	*
Lycaenidae	<i>Evenus satyroides</i> (Hewitson, 1865)	*
Lycaenidae	<i>Hemiargus hanno hanno</i> (Stoll, [1790])	*
Lycaenidae	<i>Janthecla aurora</i> (Druce, 1907)	*
Lycaenidae	<i>Lamprospilus sp1</i> Geyer, 1832	*
Lycaenidae	<i>Leptotes cassius</i> (Cramer, [1775])	*
Lycaenidae	<i>Ministrymon azia</i> (Hewitson, 1873)	*
Lycaenidae	<i>Msp1</i> (Lycaenidae)	*
Lycaenidae	<i>Msp2</i> (Lycaenidae)	*
Lycaenidae	<i>Msp3</i> (Lycaenidae)	*
Lycaenidae	<i>Msp4</i> (Lycaenidae)	*
Lycaenidae	<i>Ocaria ocrisia</i> (Hewitson, 1868)	*
Lycaenidae	<i>Ocaria thales</i> (Fabricius, 1793)	*
Lycaenidae	<i>Parrhasius polibetes</i> (Stoll, [1781])	*
Lycaenidae	<i>Parrhasius selika</i> (Hewitson, 1874)	*
Lycaenidae	<i>Pseudolycaena marsyas</i> (Linnaeus, 1758)	*
Lycaenidae	<i>Strephonota elika</i> (Hewitson, 1867)	*
Lycaenidae	<i>Strymon cf. megarus</i> (Godart, [1824])	*
Lycaenidae	<i>Strymon cf. rufofusca</i> Hewitson, 1877	*
Lycaenidae	<i>Symbiopsis sp.</i> Nicolay, 1971	*
Lycaenidae	<i>Symbiopsis strenua</i> (Hewitson, 1877)	*
Lycaenidae	<i>Theritas hemon</i> (Cramer, [1775])	*
Lycaenidae	<i>Theritas phegeus</i> (Hewitson, 1865)	*
Lycaenidae	<i>Theritas triquetra</i> (Hewitson, 1865)	*
Lycaenidae	<i>Tmolus cydrara</i> (Hewitson, 1868)	*
Lycaenidae	<i>Tmolus echion</i> (Linnaeus, 1767)	*
Riodinidae	<i>Ancyluris aulestes aulestes</i> (Cramer,	*



LEGADO  
DAS ÁGUAS  
RESERVA VOTORANTIM

	1777)	
Riodinidae	<i>Argyrogrammana caesarion</i> Lathy, 1958	*
Riodinidae	<i>Aricoris constantius</i> (Fabricius, 1793)	*
Riodinidae	<i>Calospila apotheta</i> (Bates, 1868)	*
Riodinidae	<i>Emesis diogenia</i> Prittwitz, 1865	*
Riodinidae	<i>Emesis russula</i> Stichel, 1910	*
Riodinidae	<i>Emesis</i> sp. Fabricius, 1807	*
Riodinidae	<i>Esthemopsis pherephatte</i> teras (Stichel, 1910)	*
Riodinidae	<i>Eurybia carolina</i> Godart, [1824]	*
Riodinidae	<i>Eurybia molochina molochina</i> Stichel, 1910	*
Riodinidae	<i>Eurybia pergaea</i> (Geyer, 1832)	*
Riodinidae	<i>Ionotus alector</i> (Geyer, 1837)	*
Riodinidae	<i>Juditha azan azan</i> (Westwood, [1851])	*
Riodinidae	<i>Lasaia agesilas esmeralda</i> Clench, 1972	*
Riodinidae	<i>Lemonias zygia zygia</i> Hübner, [1807]	*
Riodinidae	<i>Leucochimona icare matatha</i> (Hewitson, 1873)	*
Riodinidae	<i>Mesosemia odice</i> (Godart, [1824])	*
Riodinidae	<i>Monethe alphonsus</i> (Fabricius, 1793)	*
Riodinidae	<i>Nymphidium lisimon epiplatea</i> Butler, 1867	*
Riodinidae	<i>Panara soana</i> Hewitson, 1875	*
Nymphalidae	<i>Actinote canutia</i> (Hopffer, 1874)	*
Nymphalidae	<i>Actinote pyrrrha</i> (Fabricius, 1775)	*
Nymphalidae	<i>Actinote rhodope</i> d'Almeida, 1923	*
Nymphalidae	<i>Actinote</i> sp1 Hübner, [1819]	*
Nymphalidae	<i>Actinote</i> sp2 Hübner, [1819]	*
Nymphalidae	<i>Actinote</i> sp3 Hübner, [1819]	*
Nymphalidae	<i>Adelpha atlantica</i> Willmot, 2003	*
Nymphalidae	<i>Adelpha boeotia fidicula</i> Fruhstorfer, 1915	*
Nymphalidae	<i>Adelpha cocala didia</i> Fruhstorfer, 1915	*
Nymphalidae	<i>Adelpha cytherea</i> Fruhstorfer, 1913	*
Nymphalidae	<i>Adelpha herbata</i> Weymer, 1907	*



LEGADO  
DAS ÁGUAS  
RESERVA VOTORANTIM

Nymphalidae	<i>Adelpha iphicleola</i> (Bates, 1864)	*
Nymphalidae	<i>Adelpha iphiclus ephesa</i> (Ménétriés, 1857)	*
Nymphalidae	<i>Adelpha lycorias</i> Godart, 1824	*
Nymphalidae	<i>Adelpha mythra</i> (Godart, [1824])	*
Nymphalidae	<i>Adelpha pleasure pleasure</i> Hübner, 1823	*
Nymphalidae	<i>Adelpha radiata radiata</i> Fruhstorfer, 1915	*
Nymphalidae	<i>Adelpha serpa serpa</i> (Boisduval, [1836])	*
Nymphalidae	<i>Adelpha sp</i> Hübner, [1819]	*
Nymphalidae	<i>Adelpha syma</i> (Godart, [1824])	*
Nymphalidae	<i>Agraulis vanillae maculosa</i> (Stichel, 1908)	*
Nymphalidae	<i>Anartia amathea roeselia</i> (Eschscholtz, 1821)	*
Nymphalidae	<i>Anartia jathrophae jathrophae</i> (Linnaeus, 1763)	*
Nymphalidae	<i>Antirrhoea archaea</i> Hübner, [1822]	*
Nymphalidae	<i>Archaeoprepona amphimachus pseudomeander</i> (Fruhstorfer, 1906)	*
Nymphalidae	<i>Archaeoprepona chalciope</i> (Hübner, [1823])	*
Nymphalidae	<i>Archaeoprepona demophon thalpius</i> (Hübner, [1814])	*
Nymphalidae	<i>Archaeoprepona d. demophoon</i> (Hübner, [1814])	*
Nymphalidae	<i>Archeuptychia clunea</i> (Drury, 1782)	*
Nymphalidae	<i>Biblis hyperia</i> (Cramer, [1779])	*
Nymphalidae	<i>Caligo beltrao</i> (Illiger, 1801)	*
Nymphalidae	<i>Caligo brasiliensis</i> (Felder, 1862)	*
Nymphalidae	<i>Caligo idomeneus ariphon</i> Fruhstorfer, 1910	*
Nymphalidae	<i>Callicore astarte selima</i> (Guénee, 1872)	*
Nymphalidae	<i>Callithomia lenea</i> (Cramer, [1779])	*
Nymphalidae	<i>Capronniera galesus</i> (Godart, [1824])	*
Nymphalidae	<i>Catoblepia amphirhoe</i> (Hübner, [1825])	*
Nymphalidae	<i>Catonephele acontius</i> (Linnaeus, 1771)	*



LEGADO  
DAS ÁGUAS  
RESERVA VOTORANTIM

Nymphalidae	<i>Catonephele numilia</i> (Cramer, [1775])	*
Nymphalidae	<i>Catoplepia amphirhoe</i> (Hübner, [1825])	*
Nymphalidae	<i>Chlosyne lacinia saundersi</i> (Doubleday, [1847])	*
Nymphalidae	<i>Colobura dirce</i> (Linnaeus, 1758)	*
Nymphalidae	<i>Consul fabius drurii</i> (Butler, 1874)	*
Nymphalidae	<i>Danaus erippus</i> (Cramer, [1775])	*
Nymphalidae	<i>Dasyophthalma creusa</i> (Hübner, [1821])	*
Nymphalidae	<i>Diaethria clymena meridionalis</i> (Bates, 1864)	*
Nymphalidae	<i>Diaethria eluina</i> (Hewitson, 1855)	*
Nymphalidae	<i>Dione junio junio</i> (Cramer, [1779])	*
Nymphalidae	<i>Doxocopa agathina vacuna</i> (Godart, [1824])	*
Nymphalidae	<i>Doxocopa kallina</i> (Staudinger, 1886)	*
Nymphalidae	<i>Doxocopa laure laurona</i> (Schaus, 1902)	*
Nymphalidae	<i>Doxocopa linda mileta</i> (Boisduval, 1870)	*
Nymphalidae	<i>Doxocopa zunilda</i> (Godart, [1824])	*
Nymphalidae	<i>Dryadula phaetusa</i> (Linnaeus, 1758)	*
Nymphalidae	<i>Dryas iulia alcionea</i> (Cramer, [1779])	*
Nymphalidae	<i>Dynamine athemon athemaena</i> (Hübner, [1824])	*
Nymphalidae	<i>Dynamine coenus</i> (Fabricius, 1793)	*
Nymphalidae	<i>Ectima thecla</i> (Fabricius, 1796)	*
Nymphalidae	<i>Epiphile oreo oreo</i> (Hübner, [1823])	*
Nymphalidae	<i>Episcada carcinia</i> Schaus, 1902	*
Nymphalidae	<i>Eresia lansdorfi</i> (Godart, 1819)	*
Nymphalidae	<i>Eresia perna perna</i> Hewitson, 1852	*
Nymphalidae	<i>Eryphanis automedon amphimedon</i> (C. & R. Felder, 1867)	*
Nymphalidae	<i>Eteona tisiphone</i> (Boisduval, [1836])	*
Nymphalidae	<i>Eueides aliphera</i> (Godart, 1819)	*
Nymphalidae	<i>Eueides isabella dianasa</i> (Hübner, [1806])	*
Nymphalidae	<i>Eunica maja</i> (Fabricius, 1775)	*





LEGADO  
DAS ÁGUAS  
RESERVA VOTORANTIM

Nymphalidae	<i>Eunica tatila bellaria</i> Fruhstorfer, 1908	*
Nymphalidae	<i>Epityches eupompe</i> (Geyer, 1832)	*
Nymphalidae	<i>Euptychia westwoodi</i> Butler, 1867	*
Nymphalidae	<i>Euptychoides castrensis</i> (Schaus, 1902)	*
Nymphalidae	<i>Forsterinaria necys</i> (Godart, [1824])	*
Nymphalidae	<i>Fountainea ryphea phidile</i> (Geyer, 1837)	*
Nymphalidae	<i>Godartiana byses</i> (Godart, [1824])*	*
Nymphalidae	<i>Hamadryas amphinome</i> (Linnaeus, 1767)	*
Nymphalidae	<i>Hamadryas epinome</i> (C. & R. Felder, 1867)	*
Nymphalidae	<i>Hamadryas februa</i> (Hübner, [1823])	*
Nymphalidae	<i>Hamadryas feronia</i> (Linnaeus, 1758)	*
Nymphalidae	<i>Hamadryas iphthime</i> (Bates, 1864)	*
Nymphalidae	<i>Hamadryas fornax</i> (Hübner, [1823])	*
Nymphalidae	<i>Heliconius erato phyllis</i> (Fabricius, 1775)	*
Nymphalidae	<i>Heliconius ethilla narcaea</i> Godart, 1819	*
Nymphalidae	<i>Heliconius sara apseudes</i> (Hübner, [1813])	*
Nymphalidae	<i>Hermeuptychia hermes</i> (Fabricius, 1775)	*
Nymphalidae	<i>Hermeuptychia sp1</i> Forster, 1964	*
Nymphalidae	<i>Hermeuptychia sp2</i> Forster, 1964	*
Nymphalidae	<i>Historis acheronta</i> (Fabricius, 1775)	*
Nymphalidae	<i>Historis odius</i> (Fabricius, 1775)	*
Nymphalidae	<i>Hypanartia bella</i> (Fabricius, 1793)	*
Nymphalidae	<i>Hypanartia lethe</i> (Fabricius, 1793)	*
Nymphalidae	<i>Hypoleria adasa</i> (Hewitson, 1855)	*
Nymphalidae	<i>Ithomia agnosia zikani</i> d'Almeida, 1940	*
Nymphalidae	<i>Ithomia drymo</i> Hübner, 1816	*
Nymphalidae	<i>Ithomia lichyi</i> d'Almeida, 1939	*
Nymphalidae	<i>Junonia sp.</i> Hübner, [1819]	*
Nymphalidae	<i>Libytheana carinenta</i> (Cramer, [1777])	*
Nymphalidae	<i>Lycorea halia discreta</i> Haensch, 1909	*



LEGADO  
DAS ÁGUAS  
RESERVA VOTORANTIM

Nymphalidae	<i>Marpesia chiron</i> (Fabricius, 1775)	*
Nymphalidae	<i>Marpesia petreus petreus</i> (Cramer, [1776])	*
Nymphalidae	<i>Mechanitis lysimnia lysimnia</i> (Fabricius, 1793)	*
Nymphalidae	<i>Mechanitis polymnia casabranca</i> Haensch, 1905	*
Nymphalidae	<i>Melinaea ethra</i> (Godart, 1819)	*
Nymphalidae	<i>Melinaea ludovica paraiya</i> Reakirt, 1866	*
Nymphalidae	<i>Memphis acidalia victoria</i> (Druce, 1877)	*
Nymphalidae	<i>Memphis moruus stheno</i> (Prittwitz, 1865)	*
Nymphalidae	<i>Memphis philumena</i> (Doubleday, [1849])	*
Nymphalidae	<i>Moneuptychia griseldis</i> (Weymer, 1911)	*
Nymphalidae	<i>Moneuptychia paeon</i> (Godart, [1824])	*
Nymphalidae	<i>Moneuptychia cf. pervagata</i>	*
Nymphalidae	Freitas, Siewert & Mielke, 2015	*
Nymphalidae	<i>Morpho aega aega</i> (Hübner, [1822])	*
Nymphalidae	<i>Morpho anaxibia</i> (Esper, 1801)	*
Nymphalidae	<i>Morpho epistrophus catenaria</i> (Perry, 1811)	*
Nymphalidae	<i>Morpho helenor achillaena</i> (Hübner, [1823])	*
Nymphalidae	<i>Morpho sp</i> Fabricius, 1807	*
Nymphalidae	<i>Morpho menelaus coeruleus</i> (Perry, 1810)	*
Nymphalidae	<i>Myscelia orsis</i> (Drury, [1782])	*
Nymphalidae	<i>Narope cyllastros</i> Doubleday, [1849]	*
Nymphalidae	<i>Narope cyllene</i> C. & R. Felder, 1859	*
Nymphalidae	<i>Oleria aquata</i> (Weymer, 1875)	*
Nymphalidae	<i>Opoptera sulcius</i> (Staudinger, 1887)	*
Nymphalidae	<i>Opsiphanes invirae</i> (Hübner, [1808])	*
Nymphalidae	<i>Pareuptychia ocirrhoe interjecta</i> (d'Almeida, 1952)	*
Nymphalidae	<i>Pareuptychia summandosa</i> (Gosse, 1880)	*
Nymphalidae	<i>Paryphthimoides grimon</i> (Godart, [1824])	*



LEGADO  
DAS ÁGUAS  
RESERVA VOTORANTIM

Nymphalidae	<i>Paryphthimoides phronius</i> (Godart, [1824])	*
Nymphalidae	<i>Paryphthimoides poltys</i> (Prittwitz, 1865)	*
Nymphalidae	<i>Philaethria wernickei</i> (Röber, 1906)	*
Nymphalidae	<i>Phyciodes</i> ( <i>Telenassa</i> ) <i>sp</i> Hübner, [1819]	*
Nymphalidae	<i>Pierella nereis</i> (Drury, [1782])	*
Nymphalidae	<i>Placidula euryrnassa</i> (C. & R. Felder, 1860)	*
Nymphalidae	<i>Praepedaliodes phanias</i> (Hewitson, 1862)	*
Nymphalidae	<i>Prepona claudina annetta</i> (G. Gray, 1832)	*
Nymphalidae	<i>Prepona deiphile deiphile</i> (Godart, [1824])**	*
Nymphalidae	<i>Prepona pylene pylene</i> Hewitson, 1854	*
Nymphalidae	<i>Pseudoscada acilla</i> (Hewitson, 1867)	*
Nymphalidae	<i>Pseudoscada erruca</i> (Hewitson, 1855)	*
Nymphalidae	<i>Pteronymia carlia</i> (Geyer, 1832)	*
Nymphalidae	<i>Pyrrhogyra neareia ophni</i> (Linnaeus, 1758)	*
Nymphalidae	<i>Satyrinae sp1</i>	*
Nymphalidae	<i>Satyrinae sp2</i>	*
Nymphalidae	<i>Satyrinae sp3</i>	*
Nymphalidae	<i>Satyrinae sp4</i>	*
Nymphalidae	<i>Smyrna blomfieldia</i> (Fabricius, 1781)	*
Nymphalidae	<i>Splendeptychia hygina</i> (Butler, 1877)	*
Nymphalidae	<i>Taygetomorpha celia</i> (Cramer, [1779])	*
Nymphalidae	<i>Taygetis acuta</i> Weymer, 1910	*
Nymphalidae	<i>Taygetis laches</i> (Fabricius, 1793)	*
Nymphalidae	<i>Taygetis rufomarginata</i> Staudinger, 1888	*
Nymphalidae	<i>Taygetis sp1</i> Hübner, [1819]	*
Nymphalidae	<i>Taygetis sp2</i> Hübner, [1819]	*
Nymphalidae	<i>Taygetis virgilia</i> (Cramer, [1776])	*
Nymphalidae	<i>Tegosa claudina</i> (Eschscholtz, 1821)	*
Nymphalidae	<i>Tegosa sp1</i> Higgins, 1981	*



LEGADO  
DAS ÁGUAS  
RESERVA VOTORANTIM

Nymphalidae	<i>Tegosa sp2 Higgins, 1981</i>	*
Nymphalidae	<i>Tegosa sp3 Higgins, 1981</i>	*
Nymphalidae	<i>Zaretis strigosus (Gmelin, [1790])</i>	*