



LEGADO
DAS ÁGUAS
RESERVA VOTORANTIM

| HERPETOFAUNA – Anfíbios e répteis | | |
|-----------------------------------|-----------------------------------|-----------------------|
| FAMÍLIA | NOME CIENTÍFICO | NOME POPULAR |
| Brachycephalidae | <i>Ischnocnema guentheri</i> | * |
| Brachycephalidae | <i>Ischnocnema henselii</i> | * |
| Brachycephalidae | <i>Ischnocnema juipoca</i> | * |
| Bufo | <i>Rhinella hoogmoedi</i> | * |
| Bufo | <i>Rhinella icterica</i> | Sapo-cucuru |
| Bufo | <i>Rhinella ornata</i> | * |
| Craugastoridae | <i>Haddadus binotatus</i> | * |
| Hylidae | <i>Aplastodiscus albosignatus</i> | * |
| Hylidae | <i>Aplastodiscus leucopygius</i> | * |
| Hylidae | <i>Boana albomarginata</i> | * |
| Hylidae | <i>Boana albopunctata</i> | * |
| Hylidae | <i>Boana bischoffi</i> | * |
| Hylidae | <i>Boana faber</i> | * |
| Hylidae | <i>Boana pardalis</i> | * |
| Hylidae | <i>Boana prasina</i> | * |
| Hylidae | <i>Bokermannohyla circumdata</i> | * |
| Hylidae | <i>Dendropsophus elegans</i> | * |
| Hylidae | <i>Dendropsophus minutus</i> | Perereca-de-ampulheta |
| Hylidae | <i>Dendropsophus nanus</i> | * |
| Hylidae | <i>Dendropsophus seniculus</i> | * |
| Hylidae | <i>Dendropsophus werneri</i> | * |
| Hylidae | <i>Oolygon hiemalis</i> | Perereca-de-inverno |
| Hylidae | <i>Scinax crospedospilus</i> | * |
| Hylidae | <i>Scinax fuscomarginatus</i> | * |
| Hylidae | <i>Scinax fuscovarius</i> | Perereca-de-banheiro |
| Hylidae | <i>Scinax hayii</i> | * |
| Hylidae | <i>Scinax perereca</i> | * |
| Hylidae | <i>Scinax rizibilis</i> | * |
| Hylidae | <i>Scinax tymbamirim</i> | * |
| Hylidae | <i>Trachycephalus mesopheus</i> | Perereca-leitera |
| Hylodidae | <i>Crossodactylus caramaschii</i> | * |
| Hylodidae | <i>Crossodactylus werneri</i> | * |
| Hylodidae | <i>Hylodes asper</i> | * |



LEGADO
DAS ÁGUAS
RESERVA VOTORANTIM

| | | |
|-----------------|-----------------------------------|----------------|
| Leptodactylidae | <i>Adenomera marmorata</i> | * |
| Leptodactylidae | <i>Leptodactylus flavopictus</i> | * |
| Leptodactylidae | <i>Leptodactylus fuscus</i> | Rã-assobiadora |
| Leptodactylidae | <i>Leptodactylus latrans</i> | * |
| Leptodactylidae | <i>Leptodactylus notoakitites</i> | * |
| Leptodactylidae | <i>Physalaemus olfersii</i> | * |
| Microhylidae | <i>Chiasmocleis leucosticta</i> | * |
| Odonthophryinae | <i>Macrogenioglottus alipioi</i> | * |
| Odonthophryinae | <i>Proceratophrys boiei</i> | Sapo-folha |
| Phyllomedusidae | <i>Phyllomedusa distincta</i> | * |
| Phyllomedusidae | <i>Phasmahyla guttata</i> | * |
| Viperidae | <i>Bothrops jararaca</i> | * |
| Viperidae | <i>Bothrops jararacussu</i> | Jararacuçu |
| Elapidae | <i>Micrurus corallinus</i> | * |
| Dipsadidae | <i>Dipsas alternans</i> | * |
| Dipsadidae | <i>Echianthera cephalostriata</i> | * |
| Dipsadidae | <i>Echianthera undulata</i> | * |
| Dipsadidae | <i>Erythrolamprus aesculapii</i> | * |
| Dipsadidae | <i>Erythrolamprus miliaris</i> | * |
| Dipsadidae | <i>Thamnodynastes strigatus</i> | * |
| Dipsadidae | <i>Tomodon dorsatus</i> | * |
| Dipsadidae | <i>Tropidodryas serra</i> | * |
| Dipsadidae | <i>Tropidodryas striaticeps</i> | * |
| Dipsadidae | <i>Xenodon newwiedii</i> | * |
| Colubridae | <i>Chironius exoletus</i> | * |
| Colubridae | <i>Chironius foveatus</i> | * |
| Colubridae | <i>Chironius fuscus</i> | * |
| Colubridae | <i>Spilotes pullatus</i> | * |
| Leiosauridae | <i>Enyalius iheringii</i> | * |
| Leiosauridae | <i>Enyalius perditus</i> | * |
| Teiidae | <i>Salvator merianae</i> | * |
| Gekkonidae | <i>Hemidactylus mabouia</i> | * |
| Chelidae | <i>Hydromedusa tectifera</i> | * |
| Chelidae | <i>Hydromedusa maximiliani</i> | * |