



LEGADO  
DAS ÁGUAS  
RESERVA VOTORANTIM

FAMÍLIA	NOME CIENTÍFICO
Hesperiidae	<i>Aethilla echina</i> Hewitson, 1870
Hesperiidae	<i>Aguna asander asander</i> (Hewitson, 1867)
Hesperiidae	<i>Anastrus</i> sp. Hübner, [1824]
Hesperiidae	<i>Anastrus neaearis narva</i> (Möschler, 1879)
Hesperiidae	<i>Anastrus obscurus</i> Hübner, [1824]
Hesperiidae	<i>Anastrus tolimus robigus</i> (Plötz, 1884)
Hesperiidae	<i>Anastrus ulpianus</i> (Poey, 1832)
Hesperiidae	<i>Anthoptus epictetus</i> (Fabricius, 1793)
Hesperiidae	<i>Astrartes creteus siges</i> (Mabille, 1903)
Hesperiidae	<i>Astrartes fulgurator fulgurator</i> (Walch, 1775)
Hesperiidae	<i>Autochton zarex</i> (Hübner, 1818)
Hesperiidae	<i>Camptopleura janthinus</i> (Capronnier, 1874)
Hesperiidae	<i>Carrhenes canescens</i> (R. Felder, 1869)
Hesperiidae	<i>Carystoides basoches</i> (Latreille, [1824])
Hesperiidae	<i>Carystoides sicania sicania</i> (Hewitson, 1876)
Hesperiidae	<i>Celaenorrhinus eligius punctiger</i> (Burmeister, 1878)
Hesperiidae	<i>Cephise</i> sp. Evans, 1952
Hesperiidae	<i>Cobalopsis nero</i> (Herrich-Schäffer, 1869)
Hesperiidae	<i>Cogia calchas</i> (Herrich-Schäffer, 1869)
Hesperiidae	<i>Colabus</i> sp. Hübner, [1819]
Hesperiidae	<i>Corticea Corticea</i> (Plötz, 1883)
Hesperiidae	<i>Cycloglypha t. thrasibulus</i> (Fabricius, 1793)
Hesperiidae	<i>Cymaenes uruba uruba</i> (Plötz, 1886)
Hesperiidae	<i>Cynea corope</i> (Herrich-Schäffer, 1869)
Hesperiidae	<i>Damas clavus</i> (Herrich-Schäffer, 1869)
Hesperiidae	<i>Ebrietas infanda</i> (Butler, 1877)
Hesperiidae	<i>Epargyreus</i> sp. Hübner, [1819]
Hesperiidae	<i>Eutyche Olympia</i> (Plötz, 1882)
Hesperiidae	<i>Gorgythion begga begga</i> (Prittwitz, 1868)
Hesperiidae	<i>Helias phalaenoides palpalis</i> (Latreille, [1824])
Hesperiidae	<i>Heliopetes alana</i> (Reakirt, 1868)
Hesperiidae	<i>Heliopetes ochroleuca</i> J. Zikán, 1938
Hesperiidae	<i>Lamponia lamponia</i> (Hewitson, 1876)
Hesperiidae	<i>Levina levina</i> (Plötz, 1884)
Hesperiidae	<i>Lycas godart godart</i> (Latreille, [1824])
Hesperiidae	<i>Lychnuchus celsus</i> (Fabricius, 1793)
Hesperiidae	<i>Metron chrysogastra hypodesma</i> (Plötz, 1882)
Hesperiidae	<i>Miltomiges cinnamomea</i> (Herrich-Schäffer, 1869)
Hesperiidae	<i>Mylon maimon</i> (Fabricius, 1775)
Hesperiidae	<i>Onophas columbaria distigma</i> Bell, 1930
Hesperiidae	<i>Oxyntes corusca</i> (Herrich-Schäffer, 1869)
Hesperiidae	<i>Paracarystus hypargyra</i> (Herrich-Schäffer, 1869)



LEGADO  
DAS ÁGUAS  
RESERVA VOTORANTIM

FAMÍLIA	NOME CIENTÍFICO
Hesperiidae	<i>Parphorus fartuga</i> (Schaus, 1902)
Hesperiidae	<i>Pellicia costimacula</i> Herrich-Schäffer, 1870
Hesperiidae	<i>Phanes almoda</i> (Hewitson, [1866])
Hesperiidae	<i>Phanus ecitonorum</i> Austin, 1993
Hesperiidae	<i>Polygonus savigny savigny</i> (Latreille, [1824])
Hesperiidae	<i>Polythrix caunus</i> (Herrich-Schäffer, 1869)
Hesperiidae	<i>Polythrix octomaculata</i> (Sepp, [1844])
Hesperiidae	<i>Pyrgus oileus orcus</i> (Linnaeus, 1767)
Hesperiidae	<i>Pythonides lancea</i> (Hewitson, 1868)
Hesperiidae	<i>Quadrus u-lucida mimus</i> (Mabille & Boulet, 1917)
Hesperiidae	<i>Saliana antoninus</i> (Latreille, [1824])
Hesperiidae	SI
Hesperiidae	<i>Sodalia argyrospila</i> (Mabille, 1877)
Hesperiidae	<i>Sostrata bifasciata bifasciata</i> (Ménétriés, 1829)
Hesperiidae	<i>Sostrata cronion</i> (C & R. Felder, 1867)
Hesperiidae	sp. nova
Hesperiidae	<i>Staphylus fasciatus</i> Hayward, 1933
Hesperiidae	<i>Synapte silius</i> (Latreille, [1824])
Hesperiidae	<i>Urbanus dorantes dorantes</i> (Stoll, [1790])
Hesperiidae	<i>Urbanus doryssus</i> (Swainson, 1831)
Hesperiidae	<i>Urbanus proteus proteus</i> (Linnaeus, 1758)
Hesperiidae	<i>Urbanus simplicius</i> (Stoll, [1790])
Hesperiidae	<i>Urbanus teleus</i> (Hübner, 1821)
Hesperiidae	<i>Vehilius clavícula</i> (Plötz, 1884)
Hesperiidae	<i>Vehilius stictomenes stictomenes</i> (Butler, 1877)
Hesperiidae	<i>Vettius lucretius</i> (Latreille, [1824])
Hesperiidae	<i>Vettius marcus marcus</i> (Fabricius, 1787)
Hesperiidae	<i>Vettius umbrata</i> (Erschoff, 1876)
Hesperiidae	<i>Vidius similis</i> Mielke, 1980
Hesperiidae	<i>Vinius letis</i> (Plötz, 1883)
Hesperiidae	<i>Xeniades orchamus orchamus</i> (Cramer, [1777])
Hesperiidae	<i>Zariaspes mys</i> (Hübner, [1808])
Papilionidae	<i>Mimoides protodamas</i> (Godart, 1819)
Papilionidae	<i>Papilio anchisiades capys</i> (Hübner, [1809])
Papilionidae	<i>Papilio thoas brasiliensis</i> Rothschild & Jordan, 1906
Papilionidae	<i>Parides anchises nephalion</i> (Godart, 1819)
Papilionidae	<i>Protesilaus g. leucas</i> (Rothschild & Jordan, 1906)
Papilionidae	<i>Protesilaus</i> sp. Swainson, 1832
Papilionidae	<i>Protesilaus telesilaus vitellus</i> Fruhstorfer, 1907
Pieridae	<i>Aphrissa statira statira</i> (Cramer, [1777])
Pieridae	<i>Archonias brassolis tereas</i> (Godart, 1819)
Pieridae	<i>Dismorphia amphione astynome</i> (Dalman, 1823)



LEGADO  
DAS ÁGUAS  
RESERVA VOTORANTIM

FAMILIA	NOME CIENTIFICO
Pieridae	<i>Dismorphia thermesia</i> (Godart, 1819)
Pieridae	<i>Enantia limnorina</i> (C. & R. Felder, 1865)
Pieridae	<i>Enantia lina psamathe</i> (Fabricius, 1793)
Pieridae	<i>Eurema albula sinoe</i> (Godart, 1819)
Pieridae	<i>Eurema elathea flavescens</i> (Chavannes, 1850)
Pieridae	<i>Eurema leuce leuce</i> (Boisduval, 1836)
Pieridae	<i>Eurema sp</i> Hübner, [1819]
Pieridae	<i>Hesperocharis paranensis</i> Schaus, 1898
Pieridae	<i>Leptophobia aripa balidia</i> (Boisduval, 1836)
Pieridae	<i>Leucidia brephos</i> (Hübner, [1809])
Pieridae	<i>Leucidia elvina</i> (Godart, 1819)
Pieridae	<i>Melete aelia paulista</i> Fruhstorfer, 1908
Pieridae	<i>Phoebis argante argante</i> (Fabricius, 1775)
Pieridae	<i>Phoebis philea philea</i> (Linnaeus, 1763)
Pieridae	<i>Phoebis sennae marcellina</i> (Cramer, [1779])
Pieridae	<i>Pyrisitia nise tenella</i> (Boisduval, 1836)
Pieridae	<i>Rhabdodryas trite banksi</i> (Breyer, 1939)
Lycaenidae	<i>Arawacus meliboeus</i> (Fabricius, 1793)
Lycaenidae	<i>Calycopis bellera</i> (Hewitson, 1877)
Lycaenidae	<i>Calycopis sp1</i> Scudder, 1876
Lycaenidae	<i>Calycopis sp2</i> Scudder, 1876
Lycaenidae	<i>Calycopis sp3</i> Scudder, 1876
Lycaenidae	<i>Calycopis sp4</i> Scudder, 1876
Lycaenidae	<i>Calycopis sp5</i> Scudder, 1876
Lycaenidae	<i>Calycopis sp6</i> Scudder, 1876
Lycaenidae	<i>Calycopis sp7</i> Scudder, 1876
Lycaenidae	<i>Calycopis sp8</i> Scudder, 1876
Lycaenidae	<i>Calycopis sp9</i> Scudder, 1876
Lycaenidae	<i>Celmia celmus</i> (Cramer, [1775])
Lycaenidae	<i>Chalybs chloris</i> (Hewitson, 1877)
Lycaenidae	<i>Contrafacia imma</i> (Prittwitz, 1865)
Lycaenidae	<i>Contrafacia muattina</i> (Schaus, 1902)
Lycaenidae	<i>Cyanophrys sp</i> Clench, 1961
Lycaenidae	<i>Elkalyce cogina</i> (Schaus, 1902)
Lycaenidae	<i>Evenus batesii</i> (Hewitson, 1865)
Lycaenidae	<i>Evenus satyroides</i> (Hewitson, 1865)
Lycaenidae	<i>Hemiargus hanno hanno</i> (Stoll, [1790])
Lycaenidae	<i>Janthecla aurora</i> (Druce, 1907)
Lycaenidae	<i>Lamprospilus sp1</i> Geyer, 1832
Lycaenidae	<i>Leptotes cassius</i> (Cramer, [1775])
Lycaenidae	<i>Ministrymon azia</i> (Hewitson, 1873)
Lycaenidae	<i>Msp1</i> (Lycaenidae)





LEGADO  
DAS ÁGUAS  
RESERVA VOTORANTIM

FAMÍLIA	NOME CIENTÍFICO
Lycaenidae	<i>Msp2 (Lycaenidae)</i>
Lycaenidae	<i>Msp3 (lycaenidae)</i>
Lycaenidae	<i>Msp4 (Lycaenidae)</i>
Lycaenidae	<i>Ocaria ocrisia (Hewitson, 1868)</i>
Lycaenidae	<i>Ocaria thales (Fabricius, 1793)</i>
Lycaenidae	<i>Parrhasius polibetes (Stoll, [1781])</i>
Lycaenidae	<i>Parrhasius selika (Hewitson, 1874)</i>
Lycaenidae	<i>Pseudolycaena marsyas (Linnaeus, 1758)</i>
Lycaenidae	<i>Strephonota elika (Hewitson, 1867)</i>
Lycaenidae	<i>Strymon cf. megarus (Godart, [1824])</i>
Lycaenidae	<i>Strymon cf. rufosca Hewitson, 1877</i>
Lycaenidae	<i>Symbiopsis sp. Nicolay, 1971</i>
Lycaenidae	<i>Symbiopsis strenua (Hewitson, 1877)</i>
Lycaenidae	<i>Theritas hemon (Cramer, [1775])</i>
Lycaenidae	<i>Theritas phegeus (Hewitson, 1865)</i>
Lycaenidae	<i>Theritas triquetra (Hewitson, 1865)</i>
Lycaenidae	<i>Tmolus cydrara (Hewitson, 1868)</i>
Lycaenidae	<i>Tmolus echion (Linnaeus, 1767)</i>
Riodinidae	<i>Ancyluris aulestes aulestes (Cramer, 1777)</i>
Riodinidae	<i>Argyrogrammana caesarion Lathy, 1958</i>
Riodinidae	<i>Aricoris constantius (Fabricius, 1793)</i>
Riodinidae	<i>Calospila apotheta (Bates, 1868)</i>
Riodinidae	<i>Emesis diogenia Prittwitz, 1865</i>
Riodinidae	<i>Emesis russula Stichel, 1910</i>
Riodinidae	<i>Emesis sp. Fabricius, 1807</i>
Riodinidae	<i>Esthemopsis pherephatte teras (Stichel, 1910)</i>
Riodinidae	<i>Eurybia carolina Godart, [1824]</i>
Riodinidae	<i>Eurybia molochina molochina Stichel, 1910</i>
Riodinidae	<i>Eurybia pergaea (Geyer, 1832)</i>
Riodinidae	<i>Ionotus alector (Geyer, 1837)</i>
Riodinidae	<i>Juditha azan azan (Westwood, [1851])</i>
Riodinidae	<i>Lasaia agesilas esmeralda Clench, 1972</i>
Riodinidae	<i>Lemonias zygia zygia Hübner, [1807]</i>
Riodinidae	<i>Leucochimona icare matatha (Hewitson, 1873)</i>
Riodinidae	<i>Mesosemia odice (Godart, [1824])</i>
Riodinidae	<i>Monethe alphonsus (Fabricius, 1793)</i>
Riodinidae	<i>Nymphidium lisimon epiplatea Butler, 1867</i>
Riodinidae	<i>Panara soana Hewitson, 1875</i>
Nymphalidae	<i>Actinote canutia (Hopffer, 1874)</i>
Nymphalidae	<i>Actinote pyrrha (Fabricius, 1775)</i>
Nymphalidae	<i>Actinote rhodope d'Almeida, 1923</i>
Nymphalidae	<i>Actinote sp1 Hübner, [1819]</i>



LEGADO  
DAS ÁGUAS  
RESERVA VOTORANTIM

FAMÍLIA	NOME CIENTÍFICO
Nymphalidae	<i>Actinote sp2</i> Hübner, [1819]
Nymphalidae	<i>Actinote sp3</i> Hübner, [1819]
Nymphalidae	<i>Adelpha atlantica</i> Willmot, 2003
Nymphalidae	<i>Adelpha boeotia fidicula</i> Fruhstorfer, 1915
Nymphalidae	<i>Adelpha cocala didia</i> Fruhstorfer, 1915
Nymphalidae	<i>Adelpha cytherea</i> Fruhstorfer, 1913
Nymphalidae	<i>Adelpha herbita</i> Weymer, 1907
Nymphalidae	<i>Adelpha iphicleola</i> (Bates, 1864)
Nymphalidae	<i>Adelpha iphiclus ephesa</i> (Ménétriés, 1857)
Nymphalidae	<i>Adelpha lycorias</i> Godart, 1824
Nymphalidae	<i>Adelpha mythra</i> (Godart, [1824])
Nymphalidae	<i>Adelpha pleasure pleasure</i> Hübner, 1823
Nymphalidae	<i>Adelpha radiata radiata</i> Fruhstorfer, 1915
Nymphalidae	<i>Adelpha serpa serpa</i> (Boisduval, [1836])
Nymphalidae	<i>Adelpha sp</i> Hübner, [1819]
Nymphalidae	<i>Adelpha syma</i> (Godart, [1824])
Nymphalidae	<i>Agraulis vanillae maculosa</i> (Stichel, 1908)
Nymphalidae	<i>Anartia amathea roeselia</i> (Eschscholtz, 1821)
Nymphalidae	<i>Anartia jathrophae jathrophae</i> (Linnaeus, 1763)
Nymphalidae	<i>Antirrhoea archaea</i> Hübner, [1822]
Nymphalidae	<i>Archaeoprepona amphimachus pseudomeander</i> (Fruhstorfer, 1906)
Nymphalidae	<i>Archaeoprepona chalciope</i> (Hübner, [1823])
Nymphalidae	<i>Archaeoprepona demophon thalpius</i> (Hübner, [1814])
Nymphalidae	<i>Archaeoprepona d. demophoon</i> (Hübner, [1814])
Nymphalidae	<i>Archeuptychia clunea</i> (Drury, 1782)
Nymphalidae	<i>Biblis hyperia</i> (Cramer, [1779])
Nymphalidae	<i>Caligo beltrao</i> (Illiger, 1801)
Nymphalidae	<i>Caligo brasiliensis</i> (Felder, 1862)
Nymphalidae	<i>Caligo idomeneus ariphon</i> Fruhstorfer, 1910
Nymphalidae	<i>Callicore astarte selima</i> (Guénee, 1872)
Nymphalidae	<i>Callithomia lenea</i> (Cramer, [1779])
Nymphalidae	<i>Capronnieria galesus</i> (Godart, [1824])
Nymphalidae	<i>Catoblepia amphirhoe</i> (Hübner, [1825])
Nymphalidae	<i>Catonephele acontius</i> (Linnaeus, 1771)
Nymphalidae	<i>Catonephele numilia</i> (Cramer, [1775])
Nymphalidae	<i>Catoblepia amphirhoe</i> (Hübner, [1825])
Nymphalidae	<i>Chlosyne lacinia saundersi</i> (Doubleday, [1847])
Nymphalidae	<i>Colobura dirce</i> (Linnaeus, 1758)
Nymphalidae	<i>Consul fabius drurii</i> (Butler, 1874)
Nymphalidae	<i>Danaus erippus</i> (Cramer, [1775])
Nymphalidae	<i>Dasyophthalma creusa</i> (Hübner, [1821])
Nymphalidae	<i>Diaethria clymena meridionalis</i> (Bates, 1864)



LEGADO  
DAS ÁGUAS  
RESERVA VOTORANTIM

FAMÍLIA	NOME CIENTÍFICO
Nymphalidae	<i>Diaethria eluina</i> (Hewitson, 1855)
Nymphalidae	<i>Dione junio junio</i> (Cramer, [1779])
Nymphalidae	<i>Doxocopa agathina vacuna</i> (Godart, [1824])
Nymphalidae	<i>Doxocopa kallina</i> (Staudinger, 1886)
Nymphalidae	<i>Doxocopa laure laurona</i> (Schaus, 1902)
Nymphalidae	<i>Doxocopa linda mileta</i> (Boisduval, 1870)
Nymphalidae	<i>Doxocopa zunilda</i> (Godart, [1824])
Nymphalidae	<i>Dryadula phaetusa</i> (Linnaeus, 1758)
Nymphalidae	<i>Dryas iulia alcionea</i> (Cramer, [1779])
Nymphalidae	<i>Dynamine athemon athemaena</i> (Hübner, [1824])
Nymphalidae	<i>Dynamine coenus</i> (Fabricius, 1793)
Nymphalidae	<i>Ectima thecla</i> (Fabricius, 1796)
Nymphalidae	<i>Epiphile orea orea</i> (Hübner, [1823])
Nymphalidae	<i>Episcada carcinia</i> Schaus, 1902
Nymphalidae	<i>Eresia lansdorfi</i> (Godart, 1819)
Nymphalidae	<i>Eresia perna perna</i> Hewitson, 1852
Nymphalidae	<i>Eryphanis automedon amphimedon</i> (C. & R. Felder, 1867)
Nymphalidae	<i>Eteona tisiphone</i> (Boisduval, [1836])
Nymphalidae	<i>Eueides aliphera</i> (Godart, 1819)
Nymphalidae	<i>Eueides isabella dianasa</i> (Hübner, [1806])
Nymphalidae	<i>Eunica maja</i> (Fabricius, 1775)
Nymphalidae	<i>Eunica tatila bellaria</i> Fruhstorfer, 1908
Nymphalidae	<i>Epityches eupompe</i> (Geyer, 1832)
Nymphalidae	<i>Euptychia westwoodi</i> Butler, 1867
Nymphalidae	<i>Euptychoides castrensis</i> (Schaus, 1902)
Nymphalidae	<i>Forsterinaria necys</i> (Godart, [1824])
Nymphalidae	<i>Fountainea ryphea phidile</i> (Geyer, 1837)
Nymphalidae	<i>Godartiana byses</i> (Godart, [1824])*
Nymphalidae	<i>Hamadryas amphinome</i> (Linnaeus, 1767)
Nymphalidae	<i>Hamadryas epinome</i> (C. & R. Felder, 1867)
Nymphalidae	<i>Hamadryas februa</i> (Hübner, [1823])
Nymphalidae	<i>Hamadryas feronia</i> (Linnaeus, 1758)
Nymphalidae	<i>Hamadryas iphthime</i> (Bates, 1864)
Nymphalidae	<i>Hamadryas fornax</i> (Hübner, [1823])
Nymphalidae	<i>Heliconius erato phyllis</i> (Fabricius, 1775)
Nymphalidae	<i>Heliconius ethilla narcaea</i> Godart, 1819
Nymphalidae	<i>Heliconius sara apseudes</i> (Hübner, [1813])
Nymphalidae	<i>Hermeuptychia hermes</i> (Fabricius, 1775)
Nymphalidae	<i>Hermeuptychia sp1</i> Forster, 1964
Nymphalidae	<i>Hermeuptychia sp2</i> Forster, 1964
Nymphalidae	<i>Historis acheronta</i> (Fabricius, 1775)





LEGADO  
DAS ÁGUAS  
RESERVA VOTORANTIM

FAMÍLIA	NOME CIENTÍFICO
Nymphalidae	<i>Historis odius</i> (Fabricius, 1775)
Nymphalidae	<i>Hypanartia bella</i> (Fabricius, 1793)
Nymphalidae	<i>Hypanartia lethe</i> (Fabricius, 1793)
Nymphalidae	<i>Hypoleria adasa</i> (Hewitson, 1855)
Nymphalidae	<i>Ithomia agnosia zikani</i> d'Almeida, 1940
Nymphalidae	<i>Ithomia drymo</i> Hübner, 1816
Nymphalidae	<i>Ithomia lichyi</i> d'Almeida, 1939
Nymphalidae	<i>Junonia</i> sp. Hübner, [1819]
Nymphalidae	<i>Libytheana carinenta</i> (Cramer, [1777])
Nymphalidae	<i>Lycorea halia discreta</i> Haensch, 1909
Nymphalidae	<i>Marpesia chiron</i> (Fabricius, 1775)
Nymphalidae	<i>Marpesia petreus petreus</i> (Cramer, [1776])
Nymphalidae	<i>Mechanitis lysimnia lysimnia</i> (Fabricius, 1793)
Nymphalidae	<i>Mechanitis polymnia casabranca</i> Haensch, 1905
Nymphalidae	<i>Melinaea ethra</i> (Godart, 1819)
Nymphalidae	<i>Melinaea ludovica paraiya</i> Reakirt, 1866
Nymphalidae	<i>Memphis acidalia victoria</i> (Druce, 1877)
Nymphalidae	<i>Memphis moruus stheno</i> (Prittwitz, 1865)
Nymphalidae	<i>Memphis philumena</i> (Doubleday, [1849])
Nymphalidae	<i>Moneuptychia griseldis</i> (Weymer, 1911)
Nymphalidae	<i>Moneuptychia paeon</i> (Godart, [1824])
Nymphalidae	<i>Moneuptychia</i> cf. <i>pervagata</i>
Nymphalidae	Freitas, Siewert & Mielke, 2015
Nymphalidae	<i>Morpho aega aega</i> (Hübner, [1822])
Nymphalidae	<i>Morpho anaxibia</i> (Esper, 1801)
Nymphalidae	<i>Morpho epistrophus catenaria</i> (Perry, 1811)
Nymphalidae	<i>Morpho helenor achillaena</i> (Hübner, [1823])
Nymphalidae	<i>Morpho</i> sp Fabricius, 1807
Nymphalidae	<i>Morpho menelaus coeruleus</i> (Perry, 1810)
Nymphalidae	<i>Myscelia orsis</i> (Drury, [1782])
Nymphalidae	<i>Narope cyllastros</i> Doubleday, [1849]
Nymphalidae	<i>Narope cyllene</i> C. & R. Felder, 1859
Nymphalidae	<i>Oleria aquata</i> (Weymer, 1875)
Nymphalidae	<i>Ooptera sulcius</i> (Staudinger, 1887)
Nymphalidae	<i>Opsiphanes invirae</i> (Hübner, [1808])
Nymphalidae	<i>Pareuptychia ocirrhoe interjecta</i> (d'Almeida, 1952)
Nymphalidae	<i>Pareuptychia summandosa</i> (Gosse, 1880)
Nymphalidae	<i>Paryphthimoides grimon</i> (Godart, [1824])
Nymphalidae	<i>Paryphthimoides phronius</i> (Godart, [1824])
Nymphalidae	<i>Paryphthimoides poltys</i> (Prittwitz, 1865)
Nymphalidae	<i>Philaethria wernickei</i> (Röber, 1906)
Nymphalidae	<i>Phyciodes (Telenassa)</i> sp Hübner, [1819]



LEGADO  
DAS ÁGUAS  
RESERVA VOTORANTIM

FAMÍLIA	NOME CIENTÍFICO
Nymphalidae	<i>Pierella nereis</i> (Drury, [1782])
Nymphalidae	<i>Placidula euryrnassa</i> (C. & R. Felder, 1860)
Nymphalidae	<i>Praepedaliodes phanias</i> (Hewitson, 1862)
Nymphalidae	<i>Prepona claudina annetta</i> (G. Gray, 1832)
Nymphalidae	<i>Prepona deiphile deiphile</i> (Godart, [1824])**
Nymphalidae	<i>Prepona pylene pylene</i> Hewitson, 1854
Nymphalidae	<i>Pseudoscada acilla</i> (Hewitson, 1867)
Nymphalidae	<i>Pseudoscada erruca</i> (Hewitson, 1855)
Nymphalidae	<i>Pteronymia carlia</i> (Geyer, 1832)
Nymphalidae	<i>Pyrrhogyra neaerea ophni</i> (Linnaeus, 1758)
Nymphalidae	<i>Satyrinae sp1</i>
Nymphalidae	<i>Satyrinae sp2</i>
Nymphalidae	<i>Satyrinae sp3</i>
Nymphalidae	<i>Satyrinae sp4</i>
Nymphalidae	<i>Smyrna blomfieldia</i> (Fabricius, 1781)
Nymphalidae	<i>Splendeptychia hygina</i> (Butler, 1877)
Nymphalidae	<i>Taygetomorpha celia</i> (Cramer, [1779])
Nymphalidae	<i>Taygetis acuta</i> Weymer, 1910
Nymphalidae	<i>Taygetis laches</i> (Fabricius, 1793)
Nymphalidae	<i>Taygetis rufomarginata</i> Staudinger, 1888
Nymphalidae	<i>Taygetis sp1</i> Hübner, [1819]
Nymphalidae	<i>Taygetis sp2</i> Hübner, [1819]
Nymphalidae	<i>Taygetis virgilia</i> (Cramer, [1776])
Nymphalidae	<i>Tegosa claudina</i> (Eschscholtz, 1821)
Nymphalidae	<i>Tegosa sp1</i> Higgins, 1981
Nymphalidae	<i>Tegosa sp2</i> Higgins, 1981
Nymphalidae	<i>Tegosa sp3</i> Higgins, 1981
Nymphalidae	<i>Zaretis strigosus</i> (Gmelin, [1790])

Última atualização: março 2021

reservas  
**VOTORANTIM**